




Protecting Quality Products





PP Strap Characteristics

TECHNOLOGICAL LEADERSHIP

You can benefit from our technological improvements.

PACKAGING SPEED

Higher packaging speed.

ENVIROMENTAL FRIENDLY

100% recyclable.



SAFETY

Guarantee your product security by a perfect combination of strength and beauty.

PRODUCT HEALTH

No dust.

No toxic materials.

Non-toxic raw material

Resistant to Ultraviolet light.

QUALITY CONTROL

Total quality process.

Continuous improvement.

High quality materials, modern technology.





Why QStrap?

- Help to identify your product and brand
- Cost effective
- Easy lifting
- Improving your product appearance
- High quality
- Adaptable to a range of machinery, from normal to high speed full automatic
- Effective storage
- Perfect protection
- Using top quality raw materials and additives
- Consistent colour
- Many applications to different products and industries
- Long life
- Conducting trainings, seminars and specialised gatherings for our partners and customers
- Providing technical advice by phone or visit
- Quick response




Product Range

1-Standard QStraps: Fit for normal usage and packaging normal products.

2-Special QStraps: Highly suitable for specific requirements while being sure of your product safety.

3-Customised QStraps: Keep your product safe in special conditions or against Ultraviolet light.



QStrap Technical Sheets

You can choose the best QStrap that match your requirements using this table.

Type			A	B	C	D
Coil Inside Diameter × Coil Width(mm)			62×160	405×145	200×190	280×190
Maximum Core Outside Diameter(mm)			200	570	400	420
Item	Dimensions (mm)	Breaking Strength (kg)	Length(m)			
1	5 × 0.50	60	1,500		4,700	
2	5 × 0.45	55	1,500		4,700	
3	6 × 0.55	90	1,400		4,200	
4	9 × 0.65	130		3,000	2,800	2,900
5	9 × 0.75	140		2,600	2,400	2,500
6	12 × 0.55	130		2,600	2,400	2,600
7	12 × 0.60	140	1,000	2,400	2,200	2,400
8	12 × 0.65	160	1,000	2,300	2,000	2,200
9	12 × 0.75	210		1,900	1,750	1,800
10	15 × 0.95	330		1,100	1,050	1,100
11	16 × 1	350		1,050	1,000	1,050
12	19 × 1	400		900		800

Note.

All above straps can be coiled on different diameters such as 62, 200, 280 and 405mm. The straps with different thicknesses, widths and special colors would be available upon request.


Normal Colors: White / Black




QStrap Applications in Various Industries

QStrap can be used for a variety of applications and industries.


From Publication industry and Paper industry, to Construction, Logistics, Home Appliance and etc. Whenever you need high protection, rely on QStrap to protect your valuable products in the best way.




Building Industry




Baling Industry




Wood and Timber Industry



Printing Industry



Corrugated Board Industry



Metal Industry




Logistics Industry

Some of the Machineries Suitable for QStrap




Storage Conditions


Store between 15 to 50°C. Avoid direct sunlight



Core Sizes 200 × 190
Core Sizes 280 × 190
90 coils / pallet (130 × 110 × 195 cm)



Core Sizes 405 × 145
52 coils / pallet (130 × 110 × 195 cm)



Core Sizes 62 × 160
360 coils / pallet (130 × 110 × 165 cm)



Standard Container 20 ft
8 Pallets (130 × 110 × 195 cm)



QSTRAP



Protecting Quality Products

Contact Us

Polpi LTD Unit 2,
International Trading Estate,
Boeing way, Southall
Postal code: UB2 5LB
Phone: 0330 175 8337
Email: info@polpi.co.uk

www.polpi.co.uk